

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(("5612906") or ("6401052")).PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 14:20
S2	8	("4229647" "4573000" "4776698" "5285144" "5438330").PN. OR ("6401052").URPN.	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 14:21
S3	16	("20010056333" "20030215030" "2805677" "3364483" "4342517" "4513425" "5187872" "5297063" "5469369" "5781450" "6307365" "6401052" "6433536" "6693423").PN. OR ("7263453").URPN.	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 14:22
S4	538	(702/104).CCLS.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 14:23
S5	935	(702/105,106,107,113).CCLS.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 14:29

S6	1	("20070174015").PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 15:47
S7	187	(gradient with process\$3) and (ellips \$3) and (normaliz\$3)	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:18
S8	1	("7039896").PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 18:18
S9	3394	((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3))	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:33
S10	128	(fit\$3 with (conic ellips\$3)) and (distance\$1 with (correct\$3 compensat \$3))	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:34
S11	34	S9 and S10	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:34
S12	2	((("5612906") or ("6401052")).PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 18:34

S13	0	S12 and S11	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:34
S14	34	S11 and S9	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:34
S15	0	S9 and S12	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:34
S16	0	S10 and S12	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:34
S17	10	("5202842" "5463393" "5485407"). PN. OR ("5612906").URPN.	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 18:35
S18	79	(huynh with phuong) and "2857"	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:17
S19	4	("20040084241" "4753308" "6138788" "6876911").PN. OR ("7239972").URPN.	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:30

S20	7989	(steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:55
S21	0	(fit\$3 with (conic ellips\$3)) and (distance\$1 with (correct\$3 compensat\$3)) and (offset\$1 with value\$1) and (least with squar\$3 with error\$1) and (gradient with process\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:56
S22	0	(linear\$1 with equation\$1) and (distance with measur\$3) and (measur\$3 with offset\$3 with value\$1) and (fitt\$3 with (linear\$3 regress\$3)) and ((compensat\$3 correct\$3 filter\$3) with ((phase\$1 angle\$1) and (amplitud\$3 magnitude\$1)) with error\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:57
S23	538	(702/104).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 19:58
S24	935	(702/105,106,107,113).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/29 19:58
S25	3	S23 and S24 and (distance\$1 with (correct\$3 compensat\$3 measur\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:58

S26	9	("3600674" "4630228" "5062703" "5068614" "5650728" "5949236" "5994905" "6075628" "6614237"). PN. OR ("7171322").URPN.	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:58
S27	8	("4229647" "4573000" "4776698" "5285144" "5438330").PN. OR ("6401052").URPN.	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:58
S28	86	(steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1) and S9	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:59
S29	0	S28 and S23	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:59
S30	0	S28 and S24	US- PGPUB; USPAT; USOCR	OR	ON	2008/01/29 19:59
S31	1550	(702/104,105,106,107,113).CCLS.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/08/01 16:11
S32	3598	((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3))	US- PGPUB; USPAT; USOCR	OR	ON	2008/08/01 16:11

S33	3598	((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3))	US- PGPUB; USPAT; USOCR	OR	ON	2008/08/01 16:11
S34	90	(steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1) and S33	US- PGPUB; USPAT; USOCR	OR	ON	2008/08/01 16:11
S35	5219	(702/104-107,111-113,188-191).CCLS.	US- PGPUB; USPAT; USOCR; FPRS; EPO	OR	OFF	2009/02/08 17:10
S36	1016	(702/94-97).CCLS.	US- PGPUB; USPAT; USOCR; FPRS; EPO	OR	OFF	2009/02/08 17:10
S37	3758	((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3))	US- PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:11
S38	43	(S35 S36) and S37	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2009/02/08 17:11

S39	8993	(steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1)	US- PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:11
S40	94	((angle phase\$1) and distanc\$3) with (measur\$3 and (compensat\$3 correct \$3)) and (steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1)	US- PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:11
S41	2	(fit\$3 with (conic ellips\$3)) and (distance\$1 with (correct\$3 compensat \$3)) and (offset\$1 with value\$1) and (least with squar\$3 with error\$1)	US- PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:12
S42	0	(fit\$3 with (conic ellips\$3)) and (distance\$1 with (correct\$3 compensat \$3)) and (offset\$1 with value\$1) and (least with squar\$3 with error\$1) and (steer\$3 with angle\$1 with sensor\$1) and (automobile\$1 car\$1 vehicle\$1)	US- PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:12
S43	0	(S35 S36) and S41	US- PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:13
S44	0	S42 and (S35 S36)	US- PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:13

S45	0	(linear\$1 with equation\$1) and (distance with measur\$3) and (measur\$3 with offset\$3 with value\$1) and (fitt\$3 with (linear\$3 regress\$3)) and ((compensat\$3 correct\$3 filter\$3) with ((phase\$1 angle\$1) and (amplitud\$3 magnitude\$1)) with error\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:13
S46	0	S45 and (S35 S36)	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/08 17:14

2/8/2009 5:16:08 PM

C:\Documents and Settings\phuynh1\My Documents\EAST\Workspaces\10587536.wsp